Google scholar | piggyback and event and notification | Search

Scholar All articles Recent articles   Results **1 - 100** of about **2,030**. (**0.41** sec)

A design framework for Internet-scale **event** observation and **notification**- •colorado.edu [PDF]
DS Rosenblum, AL Wolf - ACM SIGSOFT Software Engineering Notes, 1997 - portal.acm.org
... support **event** observation and **notification** in a ... mechanisms, which indiscriminately
communicate **event** occurrences and ... vector clocks, which **piggyback** onto each ...
Cited by 224 - Related articles - BL Direct - All 13 versions

Explicit transport error **notification** (ETEN) for error-prone wireless and satellite networks- •psu.edu [PDF]
R Krishnan, JPG Sterbenz, WM Eddy, C ... - Computer Networks, 2004 - Elsevier
... the current window occur and are congestion-based (ie, no Oracle **notification** for
the ... TCP NewReno [19] in that one cwnd reduction per "loss **event**" is taken ...
Cited by 94 - Related articles - All 21 versions

Signaling state management system for packet network gateways
DR Oran, KJ Rowett - US Patent App. 09/734,239, 2000 - Google Patents
... The SSM system sends an **event**/action table from a call agent to the gateway that
directs the gateway to detect and accumulate specified signaling **events** ...
Cited by 6 - Related articles - All 4 versions

A Design Framework for Internet-Scale **Event** Observation and **Notification**
DSRAL Wolf - Proceedings of the 6th European Software Egineering ... - Springer
... support **event** observation and **notification** in a ... mechanisms, which indiscriminately
communicate **event** occurrences and ... vector clocks, which **piggyback** onto each ...
Cited by 1 - Related articles - All 3 versions

Animated graphical object **notification** system
BJ Cragun, PR Day - US Patent App. 10/329,905, 2002 - Google Patents
... 2002 1—308 ^320 2/16/2002 P—3/4 **PIGGYBACK** ON h ... receiving from a user input and
configuration settings of a **notification** responsive to the **event**. ...
All 4 versions

[PDF] •UnoHop: Efficient Distributed Hash Table with O (1) Lookup Performance
H Sitepu, C Machbub, AZR Langi, SH ... - ... Technology & Biomedical Applications, 2008 Third ..., 2008 - proceedings.
itb.ac.id
... Upon receiving an **event notification**, a slice leader dispatches the **event** ... predecessor
and successor (step 4). Finally, the **events** then **piggyback** one ping ...
Related articles - View as HTML - All 3 versions

Recovery guarantees for general multi-tier applications- *mpg.de [PDF]

R Barga, D Lomet, G Weikum - ... OF THE INTERNATIONAL CONFERENCE ON DATA ..., 2002 - doi.
ieeecomputersociety.org
... ity **notification**" makes the corresponding state change when it receives the stability
notification (ie, when the **event** "stability **notification**" is raised ...
Cited by 34 - Related articles - BL Direct - All 18 versions

WINDAR: A multithreaded rollback-recovery toolkit on Windows

JM Yang, DF Zhang, Z Qin, XD Yang - 10th IEEE Pacific Rim International Symposium on ..., 2004 - ieeexplore.ieee.org
... These basic components include message piggybacking, **piggy- back** extracting, **event** ...
Piggyback extracting ... the logging thread is notified of the message **event**. ...
Cited by 5 - Related articles - All 3 versions

Fuse: Lightweight guaranteed distributed failure **notification**- *usenix.org

J Dunagan, NJA Harvey, MB Jones, D Kostic, ... - usenix.org
... overlay routing layer to expose a mechanism for FUSE to **piggyback** content on ... part
of the Herald [7] project to build a scalable **event notification** service, we ...
Cited by 27 - Related articles - All 34 versions

Space uncertain simulation **events**: some concepts and an application to optimistic ...- *psu.edu [PDF]

F Quaglia, R Beraldi - Proceedings of the eighteenth workshop on Parallel and ..., 2004 - portal.acm.org
... To avoid this problem we can **piggyback** on each **notification** message for an **event**
e a serial num- ber, established by the LP that scheduled the **event** e, which ...
Cited by 7 - Related articles - All 13 versions

[PDF] *Reliable services in MPLS

TM Chen, TH Oh - IEEE Communications Magazine, 1999 - comsoc.org
... is feasible and perhaps advantageous to **piggyback** label binding ... to the next hop,
and status of the **event**. ... new Status TLV for fault **notification** could identify ...
Cited by 90 - Related articles - View as HTML - All 11 versions

[PDF] *The Harness metacomputing framework

M Migliardi, V Sunderam - Proceedings of the Ninth SIAM Conference on Parallel ... - Citeseer
... The **event notification** protocol guarantees that every **event** changing the ... that leverages
the DVM control topology and protocol to **piggyback** user messages ...
Cited by 31 - Related articles - View as HTML - All 2 versions

MANAGING **EVENT**-BASED CONDITIONAL RECURRENT SCHEDULES

AP Tran, LA Moore, CT Guillory, GJ Waliczek, ... - 2009 - freepatentsonline.com
... required. No te: the **events** in the state and **notification** broker are. ... it to be
scheduled early, to **piggy-back** on the 11:55pm. connection **event**. ...

RTSP proxy extended to detect streaming session **events** and report to valued streaming ...

GDE Zen, G Pavarani, P It - 2006 - freepatentsonline.com
... Operatively, the SSEM module is **piggyback** the RTSP proxy ... **events** are compared to
registered **notification** lists of ... In case of matching an **event** is reported back ...
Related articles - All 6 versions

[PDF] *Logical time in distributed computing systems

C Fidge - IEEE Computer, 1991 - se.auckland.ac.nz

... Using this information, the process can **piggyback** on an outgoing message ... ed systems,
it ensures that all observers receive **notification** of **events** in the ...

Cited by 419 - Related articles - All 12 versions

AGGREGATING RECURRENT SCHEDULES TO OPTIMIZE RESOURCE CONSUMPTION

AP Tran, LA Moore, CT Guillory, H Teegan, JM ... - 2009 - freepatentsonline.com

... 202 scans a database 210 and determines schedules that can **piggyback** or leverage
the ... it to be scheduled early, to **piggy-back** on the 11:55pm. connection **event**. ...

Integrating Notifications and Transactions: Concepts and X2TS Prototype- *158.64.76.120 [PDF]

C Liebig, M Malva, A Buchmann - Proc. of EDO, 1999 - Springer

... Once an **event** has been consumed, the **notification** message is considered as de- livered
and will not be replayed in case the consumer crashes and ...

Cited by 24 - Related articles - All 11 versions

[PDF] *Explicit Transport Error **Notification** (ETEN) for Error-Prone Wireless and Satellite Networks

WM Eddy - Citeseer

... 6 Page 7. 2. The notifier is a node that detects a corruption **event** and initiates
a **notification** that will ultimately reach the sender. ...

Related articles - View as HTML

Metis: lightweight, flexible, and web-based workflow services for digital libraries- *indiana.edu [PDF]

KM Anderson, CU Boulder, A Andersen, N ... - ieeexplore.ieee.org

... engine) layered on top of the Siena **event notification** system [9 ... want a software
agent to publish an **event** for an ... XML-RPC requests **piggyback** on top of the HTTP ...

Cited by 13 - Related articles - All 8 versions

Ad Hoc Membership for Scalable Applications

T Anker, D Dolev, I Shnayderman - Lecture Notes in Computer Science, 2002 - Springer

... Invoke NS join(G) (**piggyback** next data message SeqN); label wait for RR ... at MIT (which
recorded the **events**) receives the proper **event notification** (Sync Reply ...

Cited by 6 - Related articles - All 5 versions

Collaborative reinforcement learning of autonomic behaviour- *tcd.ie [PDF]

J Dowling, R Cunningham, E Curran, V Cahill - Database and Expert Systems Applications, 2004. ... - ieeexplore.ieee.
org

... broadcast and **event**-based **notification**. In our ad hoc routing proto- col, SAMPLE,
we use the shared radio communication channel to **piggy-back** V updates inside ...

Cited by 3 - Related articles - All 9 versions

Design and performance of a fault-tolerant real-time CORBA **event** service- *psu.edu [PDF]

HM Huang, C Gill - Real-Time Systems, 2006. 18th Euromicro Conference ..., 2006 - ieeexplore.ieee.org

... **Piggyback** IOGR update onto reply ... It is thus advantageous to **piggy- back** IOGR updates
whenever ... Context: The COS **Event** Service specification includes separate ...

Cited by 2 - Related articles - All 6 versions

A Common Architecture for Cross Layer and Network Context Awareness- *lancs.ac.uk [PDF]

M Sifalakis, M Fry, D Hutchison - Lecture Notes in Computer Science, 2007 - Springer

... of specific TCP/IP packet formats for the **piggyback**- ing and ... aggregation or processing
of the collected information before propagating an **event notification**. ...

Cited by 1 - Related articles - BL Direct - All 5 versions

[PDF] *Services everywhere: Osgi in distributed environments

JS Rellermeyer, G Alonso - EclipseCon 2007 - Citeseer

... the UPnP world to allow for asynchronous **notification**. ... a modification of the **event**
handler registered ... ternative channel implementations which **piggyback** the na ...

Cited by 18 - Related articles - View as HTML - All 3 versions

[PDF] *Cross-layer Enhanced Source Location Privacy in Sensor Networks

M Shao, W Hu, S Zhu, G Cao, S Krishnamurthy ... - mcn.cse.psu.edu

... desirable for the network to have low traffic overhead; however, the privacy level
will be low if the source node sends the **event notification** directly to the ...

Related articles - View as HTML

[PDF] *Practice on High Performance Communication System for HPP

P Zhang, Q Li, Z Huo, D Meng - ict.ac.cn

... latency for short message, we provideNAP Chan- nel, which supports PIO operation,
user can **piggyback** data in ... (2) wait: wait the **notification event** from barrier ...

View as HTML

A Wireless Sensor Network Reliable Architecture for Intrusion Detection

P Langendorfer, A Grilo, K Piotrowski, A ... - Next Generation Internet Networks, 2008. NGI 2008, 2008 - ieeexplore.
ieee.org

... data destination is tightly controlled by the sender, which uses **piggyback** on data ...
An example for the first type of **event** is a **notification** transmitted to ...

Related articles

Who killed Gopher? An extensible murder mystery

R Khare - 1999 - doi.ieeecomputersociety.org

... Since Gopher didn't **piggyback** a server-hello message on the TCPACK ... multiparty call
setup (Session Initiation Protocol), and **event notification** (Generic **Event** ...

Cited by 5 - Related articles - All 8 versions

Transactions in Content-Based Publish/Subscribe Middleware- *cam.ac.uk [PDF]

L Vargas, LIW Pesonen, E Gudes, J Bacon - ... Computing Systems Workshops, 2007. ICDCSW'07, 27th ..., 2007 -
ieeexplore.ieee.org

... in different ways [9]. The simplest option is to **piggyback events** with the ... to provide
an integrated view of transaction and **event notification** services for ...

Related articles - All 4 versions

[PDF] *Logical time

F Mattern - ... of Distributed Computing. Kluwer Academic Publishers, 1999 - gsd.di.uminho.pt

... If **notification** messages carry timestamps, an observer knows whether ... 4]. For example,
it is possible to **piggyback** on a ... Clocks, and the Ordering of **Events** in a ...

Cited by 6 - Related articles - View as HTML - All 10 versions

[PDF] *Forward Explicit Congestion **Notification** (FECN) for Datacenter Ethernet Networks

J Jiang, R Jain, C So-In - cs.wustl.edu

... Jain@wustl.edu IEEE 802.1au Congestion **Notification** Group Meeting, ... FECN Overview
ß Periodically, the sources **piggyback** a "Rate Discovery Tag" ...

Cited by 2 - Related articles - View as HTML - All 9 versions

Automatic Visual Analysis for Transportation Security

N Haering, K Shafique, R ObjectVideo - 2007 IEEE Conference on Technologies for Homeland ..., 2007 - ieeexplore.
ieee.org

... and provides real-time **notification** of any issues that **Events** are composed
ofelements such as: significantly impact its operation. ...

Cited by 1 - Related articles

[PDF] *Objects and agents compared

J Odell - Technology, 2002 - Citeseer

... a message [3]. Asynchronous messaging and **event notification** are part ... that can react
to observable **events** within the ... we find ways to **piggyback** agent technology ...

Cited by 90 - Related articles - View as HTML - All 6 versions

Distributed Coordination of Sensors for End-to-End Reliable **Event** and Query Delivery- *ncsu.edu [PDF]

N Tezcan, W Wang - ... and Networking Conference, 2007. WCNC 2007, 2007 - ieeexplore.ieee.org

... While sending beacon messages, sensors **piggyback** the IDs of all nodes they ...
event-alarm, it simply marks the message by setting the **Event Notification** (EN) ...

Cited by 1 - Related articles - All 3 versions

Methods and apparatus providing remote monitoring of security and video systems

RS Wilson - US Patent 7,302,481, 2007 - Google Patents

... LEAST ONE OF THE IDENTIFICATION OF THE SENSOR THAT DETECTED THE **EVENT** AND THE
IDENTIFICATION OF THE PROTECTED SITE 224 MAKE AN **EVENT NOTIFICATION** AVAILABLE FOR ...

All 2 versions

Cooperation of Network and Service Layer in Mobile Ad hoc Networks

Y Liu, RL Olsen, HP Schwefel - Wireless Personal Communications - Springer

... main idea behind all these proposals is to **piggyback** the service ... **notification**. The
events that triggers service maintenance can be **notification** messages from ...

Related articles

Method and system for enhanced portal security through stereoscopy

S Nichani, CC Marrion, R Wolff, D Shatz, RA ... - US Patent App. 10/702,059, 2003 - Google Patents

... the door to trap or eject the passengers as in the **piggyback event**. ... lOOa, lOOfc cannot
determine whether a single person **event** or a **piggy back event** is in ...

All 6 versions

[PDF] *12 th ICCRTS "Adapting C2 to the 21 st Century"" Adapting Web Services for Limited ...

T Halsøe, K Lund, A Eggen, FT Johnsen - dodccrp.org

... one message traversing the network per "**notification**" sent – no ... The combination of
events and replication based ... networks would be to **piggyback** a request ...

Related articles - View as HTML

A role dynamic management algorithm for prolonging lifetime in Wireless Sensor Networks

V Loscri, V Mantuano, S Marano - ... , Networks and Systems, 2006. BROADNETS 2006. 3rd ..., 2006 - ieeexplore. ieee.org

... 11] different from that used for **event-notification** services in ... is true that as Internet-based **event** services become ... it is also used to **piggyback** various types ...

Cited by 1 - Related articles

Medical data communication **notification** and messaging system and method

TLC Simpson, LM Letellier, JP Martucci, GJ ... - US Patent App. 10/748,589, 2003 - Google Patents

... BAR CODE 512a PATIENT BAR CODE 512b EXPIRATION CHECK 512c TITRATE **NOTIFICATION** 512d FLOW ... records in **event** log: 1. alarm/alert info; 2. clinican responsible for ...

All 6 versions

A new TAC-based multichannel front-end electronics for TOF experiments with very high time ...

K Koch, H Hardel, R Schulze, E Badura, J ... - IEEE Transactions on Nuclear Science, 2005 - ieeexplore.ieee.org

... For **notification** that a start of the TAC has ... An optional **piggy-back** card offers the possibility to ... After an external trigger **event** occurred, all accumulated ...

Cited by 9 - Related articles - BL Direct - All 4 versions

System and method for **notification** and escalation of medical data

TLC Simpson, LM Letellier, JP Martucci, GJ ... - US Patent App. 10/749,102, 2003 - Google Patents

... 2,2004 (54) SYSTEM AND METHOD FOR **NOTIFICATION** AND ESCALATION OF MEDICAL DATA (76) Inventors: Thomas LC Simpson, Burlington, WI (US); Laura M. Letellier ...

All 2 versions

Multi-state alarm system for a medical pump

J Stewart, R Meinzer, DK Bello, J Mullan, LH ... - US Patent App. 10/855,857, 2004 - Google Patents

... Thus, when the **piggyback** infusion has been completed and the ... the caregiver can respond to the **notification**, such as ... 0054] In this example, a first **event** 260 is ...

All 6 versions

An Adaptable Context-Management Framework for Pervasive Computing- •queensu.ca [PDF]

JA Zebedee, P Martin, K Wilson, W Powley - Context-Aware Mobile and Ubiquitous Computing for ..., 2009 - books. google.com

... Properties that support **notification events** are identified by the ... A Stop Listening for **Notification** Messages Table ... allows a proxy provider to **piggyback**/host the ...

Related articles - All 6 versions

[PDF] •TCP: Error Handling with Explicit **Notification** Schemes

A Khurri - cs.helsinki.fi

... that allows instantaneous and perfect **notification** of errors ... from the corresponding flow and **piggyback** the corruption ... transport endpoint the loss **event** is taken ...

Related articles - View as HTML - All 2 versions

•BCP 79. This document MAY only be posted in an Internet-Draft. Internet-Drafts are working ...

G Extensions - doc.tm.uka.de

... The. GCKS can also **piggyback** group neighborhood information in ... **notification** and acknowledgement SHOULD be signed using ... by a Key-Synchronization **event** defined in ...

Related articles - View as HTML - All 2 versions

[PDF] ∗Highly Available Publish/Subscribe

Z Jerzak - 2005 - jerzak.eu

... to take place the messages issued by the publishers **piggyback** the so ... and AL Wolf, "Design and evaluation of a wide-area **event notification** service," ACM ...

Related articles - View as HTML - All 10 versions

Signaling and packet relay method and system including general packet radio service (" ...

YJ Jiang - US Patent App. 10/778,861, 2004 - Google Patents

... PLMN (IPLMN); [0092] Location Services (LCS); [0093] Localised Service Area (LSA); [0094] Mobility Management **event Notification** CAMEL Subscription Information ...

All 4 versions

LTRES: A loss-tolerant reliable **event** sensing protocol for wireless sensor networks

Y Xue, B Ramamurthy, Y Wang - Computer Communications, 2009 - Elsevier

... LTRES: A loss-tolerant reliable **event** sensing protocol for wireless sensor networks. ... 3.2. Transport layer reliability definition for dynamic **event** sensing. ...

[PDF] ∗A PHP5 pluggable framework based on the POSA2 interceptor design pattern

L Provoost - lee.webcoder.be

... Event_Notification $**notification**) { $postContext = $**notification**->getNotificationObject ... This **event** that we are interested in ... easiest way is to **piggyback** on the ...

View as HTML

Trust and accountability issues in scalable invalidation-based web cache consistency

VS Gupta - ACM SIGOPS Operating Systems Review, 2005 - portal.acm.org

... used, for example, in **piggyback** cache validation and **piggyback** server invalidation ... issues that arise when implementing any global **event notification** service. ...

Related articles - BL Direct - All 3 versions

A bidirectional reliable transport mechanism for wireless sensor networks

N Tezcan, W Wang, MY Chow - IEEE Military Communications Conference, 2005. ..., 2005 - ieeexplore.ieee.org

... iii) last, it makes use of piggybacking, eg, the sensors **piggyback** the ACK of ... Furthermore, for reliable **event** transfer from sensors-to- sink, a lightweight ACK ...

Cited by 2 - Related articles - BL Direct

System and method for invalidating data in a hierarchy of caches

S Ling, X Liu, F Goell, L Jacobs - US Patent App. 10/727,308, 2003 - Google Patents

... to data requests are sent downstream, **piggyback** or merge ... a response to another data request or **event**. ... data requests are sent downstream, **piggy- back** or merge ...

All 4 versions

Setting up a delegated TCP connection for hardware-optimized processing

AK Jha, R Danilak, PJ Gyugyi, TA Maufer, S ... - US Patent 7,412,488, 2008 - Google Patents

Page 1. US007412488B2 (12) United States Patent Jha et al. (io) Patent No.: (45) Date of Patent: US 7,412,488 B2 Aug. 12, 2008 (54 ...

All 2 versions

Event-based techniques to debug an object request broker

P Galdámez, D Murphy, JM Bernabéu-Aubán, … - The Journal of Supercomputing, 1999 - Springer
… cost compared to having to **piggyback** the vector … expected to receive the unreferenced
notification does not … debugging model records the **events** produced during …
Cited by 1 - Related articles - BL Direct - All 5 versions

A coarse-grained pessimistic message logging scheme for improving rollback recovery …

JM Yang, KF Li, DF Zhang, J Cheng - ieeexplore.ieee.org
… alreadyrecorded, it is needless to **piggyback** them … checkpoint to withdraw the correspond-
ing sending **events**. … receives a recovery or rollback **notification** from P …
Cited by 1 - Related articles - All 4 versions

… coating providing on a pressure sensitive **piggyback** label intermediate configuration …

RD Buck - US Patent App. 11/305,372, 2005 - Google Patents
… of their products and services with prizes, by applying the **piggyback** scratch off …
is not left with an inventory of unusable products, in the **event** a campaign …
All 2 versions

Bounding rollback-recovery of large distributed computation in WAN environment

JM Yang, DF Zhang - Test Symposium, 2004. 13th Asian, 2004 - ieeexplore.ieee.org
… When failure occurs, failure **notification** and rollback-recovery … high available bandwidth
makes **piggyback** overhead negligible … 3 (a), sending **event** m 4 depends on …
Related articles - All 6 versions

[PDF] *Predictable CPU Bandwidth Management Framework for Next-generation Operating …

BE Xingang Guo - Citeseer
… 76 5.3 Overhead of reservation, meter and **event** . . . . . … Hence,
the operating system needs a **notification** mechanism. …
Related articles - View as HTML - All 4 versions

Strategies for alerting users to **events** that have transpired in their absence

M Zaner-Godsey, TL Savage, WE Copfer - US Patent App. 11/048,112, 2005 - Google Patents
… The user interface presentation can integrate other display sections with the **event**
information, including a display section that provides information tailored …
All 2 versions

[PDF] *Media Gateway Control Protocol (MGCP) Mauricio Arango, Andrew Dugan, Isaac Elliott, …

C Huitema - tools.ietf.org
… of the session description protocol SDP, and the procedures that compose MGCP:
Notifications Request, **Notification**, Create Connection … The **event** packages section …
Related articles - View as HTML - All 19 versions

The design and implementation of the NCTUns network simulation engine- *nctu.edu.tw [PDF]

SY Wang, CL Chou, CC Lin - Simulation Modelling Practice and Theory, 2007 - Elsevier
… up to 200 ms for trying to **piggyback** some data … In the NCTUns design, there is no
notification mechanism for … the simulation engine process that an **event** was just …
Cited by 15 - Related articles - All 6 versions

CPVM-Extending PVM for Consistent Checkpoint ing

ACV Gianuzzi, V De Marini, XV Viale ... - Proceedings of PDP - doi.ieeecomputersociety.org

... or red, and a 1 bit **piggyback**- ing is ... CF,: (" Upon failure **notification** *) begin
color := succ(color ... message; cut: msgh-transit; computing: begin cut-**event**; ...

All 2 versions

Computing Systems

C Fidge - doi.ieeecomputersociety.org

... Using this information, the process can **piggyback** on an outgoing message ... ed systems,
it ensures that all observers receive **notification** of **events** in the ...

Related articles - All 3 versions

Push e-mail inferred network presence

SH Maes - US Patent App. 11/481,440, 2006 - Google Patents

... in most cases without any actual change, update, or other reason for sending the
notification. ... Further, a wake-up **event** can "**piggy-back**," utilize, or sit ...

All 2 versions

Method and system for validating a computer system

GJ Rozas - US Patent App. 11/053,080, 2005 - Google Patents

... which allows further security checks to **piggyback** off from ... The **notification** bit 172
will be described in more ... If such an **event** occurs, the execution of the ...

All 4 versions

[BOOK] Workplace health surveillance: an action-oriented approach

NA Maizlish - 2000 - books.google.com

... other col- leagues at the National Institute for Occupational Safety and Health
who have promoted the development of the Sentinel **Event Notification** System for ...

Cited by 8 - Related articles - All 3 versions

[PDF] *Putting home storage management into Perspective

B Salmon, SW Schlosser, LB Mummert, GR ... - CMU Parallel Data Laboratory Technical Report CMU ..., 2006 -
Citeseer

... They also show performance advantages over alternate methods in providing search
and **event notification** in ad hoc ensembles, while automatically providing the ...

Cited by 6 - Related articles - View as HTML - All 5 versions

Event-based multichannel direct link

M Wentink - US Patent App. 10/880,370, 2004 - Google Patents

... 17,2005 (54) **EVENT**-BASED MULTICHANNEL DIRECT LINK (75) Inventor: Menzo Wentink,
Utrecht (NL) Correspondence Address: HUNTON & WILLIAMS LLP INTELLECTUAL ...

All 4 versions

Priority-based congestion control in wireless sensor networks

C Wang, K Sohraby, V Lawrence, B Li, Y Hu - IEEE International Conference on Sensor Networks, ..., 2006 -
ieeexplore.ieee.org

... sensor node i to **piggyback** congestion information in the header of data packets
to be forwarded. **Notification** is triggered by either of the two **events**: (1) the ...

Cited by 18 - Related articles - All 3 versions

[PDF] ⁎Abstraction, Reality Checks, and RCU

PE McKenney, IBM Beaverton - 2005 - cs.ucla.edu

... **Piggyback notification** of reader completion on context switch (and similar
events) ● Kernels are usually constructed as **event**-driven ...

View as HTML - All 3 versions

Ex Parte 230: The ICC Piggyback Rulemaking Case

ED Anderson, PD Borghesani, WH Towle - Boston College Law Review, 1967 - HeinOnline

EX PARTE 230: THE ICC "**PIGGYBACK**" RULEMAKING CASE Eugene D. Anderson* Paul D.
Borghesani** William H. Towle*** I. Introduction The practice of using a rail ...

DST: delay sensitive transport in wireless sensor networks

VC Gungor, OB Akan - Computer Networks, 2006 International Symposium on, 2006 - ieeexplore.ieee.org

... **event** features from the sensor field to the sink with minimum energy consumption. ...
vehicle traffic in highways necessitate the reliable **event** transport ...

Cited by 6 - Related articles

[DOC] ⁎The Speech Event of Image Repair

A English, RW Shuy - uga.edu

... trying to follow the format of this speech **event**. ... which company officials decide:
"Let's **piggyback** on groups ... also not lying when prior **notification** was given ...

Related articles - View as HTML

Mirinae: A Peer-to-Peer Overlay Network for Content-Based Publish/Subscribe Systems- ⁎ntust.edu.tw [PDF]

C Yongjin, P Daeyeon - IEICE Transactions on Communications - IEICE

... binomial trees, the expected number of **event notification** steps and ... we use the
well-known **piggyback**- ing technique. ... In each of 100,000 trials, an **event** and its ...

Related articles - All 3 versions

[PDF] ⁎Ubibay: An auction system for mobile multihop ad-hoc networks

H Frey, JK Lehnert, P Sturm - Workshop on Ad hoc Communications and ..., 2002 - site.uottawa.ca

... Retransmission of **notification** and description mes- sages has ... is to **piggyback**
application specific broadcast messages on ... by means of its **event** handler routines ...

Cited by 14 - Related articles - View as HTML - All 15 versions

[PDF] ⁎Understanding Mortgage Foreclosure: Recent Events, the Process, and Costs

DE Getter - CRS Report for Congress, Congressional Research ..., 2007 - opencrs.cdt.org

... Recent **Events**, the Process, and Costs ... After proper **notification** requirements have
been satisfied, the ... the total loan amount and a '**piggy-back**' or secondary ...

Cited by 1 - Related articles - View as HTML - All 6 versions

[PDF] ⁎Presence Protocol Specification

NT Secrets - download.microsoft.com

... 403 Forbidden BENOTIFY (Best Effort NOTIFY) dialog endpoint **event** package federated
user Globally Routable User Agent URI (GRUU) **notification** NOTIFY presentity ...

Related articles - View as HTML

Upstream congestion control in wireless sensor networks through cross-layer optimization- •ust.hk [PDF]

C Wang, B Li, K Sohraby, M Daneshmand, Y ... - IEEE Journal on selected areas in Communications, 2007 - ieeexplore.ieee.org

... node i to **piggyback** conges- tion information in the header of data packets to be forwarded. **Notification** is triggered by either of the two **events**: (1) the ...

Cited by 24 - Related articles - BL Direct - All 3 versions

Handling overload in publish/subscribe systems- •jerzak.eu [PDF]

Z Jerzak, C Fetzer - 26th IEEE International Conference on Distributed ..., 2006 - ieeexplore.ieee.org

... ding policies performance) to take place, publications in HAPS **piggyback** a gain ... SCRIBE: The design of a large-scale **event notification** infrastructure," in ...

Cited by 7 - Related articles - All 9 versions

Method and apparatus for providing web services in a collaborative computing system

W Wang, J Burkhardt, JE Ozzie - US Patent 7,363,342, 2008 - Google Patents

Page 1. US007363342B1 (12) United States Patent Wang et al. (io) Patent No.: US 7,363,342 BI (45) Date of Patent: Apr. 22, 2008 (54 ...

All 2 versions

[PDF] •Contract Award **Notification**

C McCullough, P Officer - ogs.state.ny.us

... OGS reserves the right to terminate this contract in the **event** it is ... finding, OGS may exercise its termination right by providing written **notification** to the ...

View as HTML - All 2 versions

The design and implementation of checkpoint/restart process fault tolerance for Open MPI- •kapook.com [PDF]

J Hursey, JM Squyres, TI Mattox, A ... - ... Parallel and Distributed Processing Symposium, 2007 ..., 2007 - ieeexplore.ieee.org

... proto- cols require the ability to **piggyback** data on ... A driver **notification** routine is responsible for calling each subsection's ft **event** function in ...

Cited by 12 - Related articles - All 8 versions

CPVM-extending PVM for consistent checkpointing

A Clematis, V Gianuzzi - Parallel and Distributed Processing, 1996. PDP'96. ..., 1996 - ieeexplore.ieee.org

... 3. A failure **notification** is reported to processes which require ... local algorithm which defines the cut **event** and collects ... or red, and a 1 bit **piggyback**- ing is ...

Cited by 6 - Related articles - All 2 versions

[PDF] •Contract Award **Notification**

C Period, BO Date - Cell - ogs.state.ny.us

... from the bid solicitation document (modified for the Contract Award **Notification**) should also be ... result in rejection for contract award and in the **event** of two ...

View as HTML - All 11 versions

[PDF] •ENGINEERING COMMITTEE

C Modems - scte.org

... which endpoints they are made, as well as what **events** and signals ... the source address of the last connection handling command or **notification** request received ...

Related articles - View as HTML - All 3 versions

[PDF] *AMERICAN NATIONAL STANDARD

D Modems - scte.org

... which endpoints they are made, as well as what **events** and signals ... the source address of the last connection handling command or **notification** request received ...

Related articles - View as HTML - All 3 versions

[PDF] *Semantic Addressing for Wireless Sensor Networks Vlado Handziski, Andreas Kopke

C Frank, H Karl - tkn.tu-berlin.de

... publish/subscribe model, the parties specify the nature of the data/**events** that they ... disseminate the data by publishing it in the form of **notification** messages ...

Related articles - View as HTML - All 4 versions

Design of a smart, survivable sensor system for enhancing the safeand secure transportation ...

JR Hogan, D Rey, SE Faas - Railroad Conference, 1994., Proceedings of the 1994 ..., 1994 - ieeexplore.ieee.org

... AUTOMATED EMERGENCY **NOTIFICATION** SYSTEM ... computers on a commercial aircraft In the **event** of an ... In the case of containerized cargo or "**piggy back**" freight, the ...

[CITATION] Advanced workflow management technologies- *uci.edu [PDF]

GA Bolcer, RN Taylor - Software Process: improvement and practice, 1998

Cited by 34 - Related articles - BL Direct - All 13 versions

[BOOK] ChartSmart: The A-to-Z Guide to Better Nursing Documentation

L Williams... - 2006 - books.google.com

... Additionally, the courts may scrutinize nursing documentation in the **event** of a lawsuit that questions the quality or level of care a pa- tient did or didn't ...

All 2 versions

eComP: an architecture that supports P2P networking among ubiquitous computing devices- *wason.in [PDF]

A Kameas, I Mavrommati, D Ringas, P Wason - Peer-to-Peer Computing, 2002.(P2P 2002). ..., 2002 - ieeexplore.ieee. org

... Route discovery is a **piggyback** mechanism. ... The student desk has a Plug that can be connected to a number of books and get **event notification** about the state of ...

Cited by 11 - Related articles - All 10 versions

[PDF] *Transport Issues in Ad Hoc and Sensor Networks

ΠΠΠ Παναγι*του - eng.ucy.ac.cy

... a failure with an Explicit Route State **Notification** (ERSN ... The intermediate nodes are required to **piggyback** data rates ... ESRT **Event**-to-Sink Reliable Transport for ...

Related articles - View as HTML

[PDF] *An architecture for experimenting with secure and dynamic Web Services

RE Rasmussen, A Eggen, R Haakseth - Proceedings of the 2006 Command and Control ..., 2006 - dodccrp.org

... be imagined along the axis of **notification** frequency; the ... rule may be "for every **event**", another may ... Default HTTP behaviour is to "**piggyback**" the SOAP ...

Cited by 3 - Related articles - View as HTML

[PDF] ›TINA Service Validation: The ErnesTINA Project

S Lausanne - Citeseer

... The **notification** is a "one-way" operation invoked o ... **Event** Id Filter identification
Timestamp Time-stamp of ... ing this mechanism to **piggy-back** useful information ...

All 5 versions

TINA service validation: The ErnesTINA project

X Logean, F Dietrich, JP Hubaux - ... Conference on Communications, 1998. ICC 98. ..., 1998 - ieeexplore.ieee.org

... At each **event** (each filtering point) a notifica ... The **notification** is a "one-way"
operation invoked ... us- ing this mechanism to **piggy-back** useful information ...

Cited by 6 - Related articles - BL Direct - All 3 versions

[PDF] ›Centralized Conference Control Protocol: Instant Messaging Extensions

NT Secrets - download.microsoft.com

... [RFC3265] Roach, AB, "Session Initiation Protocol (SIP)-Specific **Event Notification**",
RFC 3265, June 2002, http://www.ietf.org/rfc/rfc3265.txt. ...

Related articles - View as HTML

A distributed consistent global checkpoint algorithm for distributed mobile systems- ›ntt.co.jp [PDF]

Y Manabe - Proc. 8th Int. Conf. Parallel and Distributed Systems, ..., 2001 - doi.ieeecomputersociety.org

... is m . Similarly, r (m) means receive **event**, accept **event**, or removeevent. ... 1) from
MH to MSS, disconnect message can also **piggyback** information necessary for ...

Cited by 4 - Related articles - All 6 versions

[PDF] ›Energy Efficient Distributed Index for Large Scale Sensor Networks

V Dyo, C Mascolo - semanticgrid.org

... send keep-alive requests which **piggyback** binary information ... Depending on local **event**
update rates, sensors then ... a cluster head sends **notification** to relevant ...

Related articles - View as HTML - All 3 versions

dc. contributor. author Zebedee, Jared A.-- ›queensu.ca [PDF]

CG Theses - catspaw.its.queensu.ca

... 69 Figure 4.13 Simulated client with **notification** pop-up 70 ... Page 23. 10 context service)
in their model. It also uses **event**-based communication which is similar ...

Related articles - View as HTML - All 2 versions

Gooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

piggyback and event and notificatio | Search

Go to Google Home - About Google - About Google Scholar

©2009 Google